## EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S196	1147	sprint.as.	US-PGPUB; USPAT	OR	ON	2008/12/15 13:39
S197	8	S196 and (cobol).clm.	US-PGPUB; USPAT	OR	ON	2008/12/15 13:39
S198	7	(US-5745748-\$ or US- 7007278-\$ or US-6453464-\$ or US-5754830-\$ or US- 6931623-\$ or US-6886018-\$ or US-6748380-\$).did.	USPAT	OR	ON	2008/12/15 13:39
S199	34	copy\$1book with map\$4 with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$200	34	S199 and (@pd<"20031030" or @ad<"20031030" or @prad<"20031030" or @rlad<"20031030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S201	195	ebcdic with convert\$4 with ascii	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S202	28	S201 and cobol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$203	1866	717/114-119.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S204	713	709/237.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$205	128	(S203 or S204) and cobol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/15 13:39

S206	13	S205 and socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$207	36	(socket near3 full) with read \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$208	524	cobol and socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S209	49	\$208 and (socket near communicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
<b>№</b> 10	50	("20050097537" "20050097537" "20050097584" "5794240" "6182276" "5649203" "5652889" "4403283" "4568840" "4866610" "4903199" "5481740" "5493675" "5613117" "5652909" "5659753" "5645121" "4897740" "4374408" "45569411" "457408" "5225978" "542780" "5455949" "542780" "5455949" "542780" "5455949" "542780" "5455949" "542780" "5455949" "542780" "5668533" "5724584" "5737622" "5970250" "6073157" "20040060048" "6058460" "5632036" "5745788" "6090155" "20050097588" "5418965" "5404555" "6360359" "3930236" "3886523" "4005391" "4135242" "4246638" "44455603" ),pn.	US-PGPUB; USPAT	ŌR	ON	2008/12/15
S211	11	("3891974"   "4320451"   "4525780"   "4636948").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/15 13:39

\$212	2	("5146593").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S213	2	("6453464").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S214	436	(S203 or S204) and @pd>="20070409"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S215	110	cobol.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S216	77	\$215 and (@pd<"20031030" or @ad<"20031030" or @prad<"20031030" or @rlad<"20031030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S217	3	("5754830"   "6621505"   "6728769").PN.	US-PGPUB; USPAT; USOOR	OR	ON	2008/12/15 13:39
S218	27	cobol and "socket communication"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S219	266	copybook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S220	175	S219 and cobol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S221	56	\$220 and socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$222	44	\$221 and (@pd<"20031030" or @ad<"20031030" or @prad<"20031030" or @rlad<"20031030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39

S223	14	copybook near3 map\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$224	12	copy\$1book near3 map\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S225	42	copy\$1book near3 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S226	2	S196 and (cobol and socket). clm.	US-PGPUB; USPAT	OR	ON	2008/12/15 13:39
S227	1925	ebodic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S228	1470	S227 and ascii	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S229	43	copy\$1book same map\$4 same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S230	13	joseph near laura.in.	US-PGPUB; USPAT	OR	ON	2008/12/15 13:39
\$231	8	copy\$1book same map\$4 same memory same cobol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S232	2	S198 and copy\$1book	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$233	4632	719/310,311,312-317,320. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39

\$234	31	\$233 and socket and cobol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$235	16	("20020174415"   "20030221186"   "20050097537"   "20050097538"   "20050097539"   "20050097564"   "3891974"   "4320451"   "4525780"   "44369481"   "5146598"   "5754855"   "6526569"   "6931628"   "6957422"   "7086033").FNJ	US-PGPUB; USPAT	OR	ON	2008/12/15 13:39
S236	649	S233 and socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S237	55	\$236 and (read near3 socket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$238	108	S233 and socket and legacy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S239	99	\$238 and (@pd< "20031030" or @ad< "20031030" or @prad< "20031030" or @prad< "20031030" or @rlad< "20031030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S240	22	\$236 and (socket adj (routine or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S241	244	("5228137"   "5475836"   "5485369"   "5497463"   "5530852"   "5568612"   "5500833"   "5617540"   "5619650"   "5634006"   "5634127"   "5636371").PN. OR ("5754830").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/15 13:39
S242	6	\$241 and (socket adj (routine or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39

S243	615	socket near3 (operating adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S244	55	S243 and (socket adj (routine or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S245	37	("5721876").URPN.	USPAT	OR	ON	2008/12/15 13:39
S246	9593	709/230-237.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S247	1271	S246 and socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S248	115	S247 and (legacy or cobol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
<b>S</b> 249	100	S248 and (@pd<"20031030" or @ad<"20031030" or @prad<"20031030" or @rlad<"20031030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$250	1	"bit-level call"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S251	615	socket near3 (operating adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
<b>S2</b> 52	78	call\$4 near3 socket near3 (operating adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$253	51	S252 and (@pd<"20031030" or @ad<"20031030" or @prad<"20031030" or @rlad<"20031030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39

S254	1866	717/114-119.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S255	3662	719/311-317,320.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S256	9593	709/230-237.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$257	1914	(\$254 or \$255 or \$256) and @pd> = "20071214"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$258	274	S257 and socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
\$259	189	S258 and (operating adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S260	1	"20020065954".pn.	US-PGPUB; USPAT	OR	ON	2008/12/15 13:46
S261	74	(interfac\$4 near3 (operating near system)) with bit	US-PGPUB; USPAT	OR	ON	2008/12/15 13:47
S262	9	(interfac\$4 near3 (operating near system)) with (bit and offset)	US-PGPUB; USPAT	OR	ON	2008/12/15 13:47
\$263	5	bit\$1level near3 call\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:51
S264	388	(assembler near3 call\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 14:07
S266	55	bit with offset with (memory near map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 14:15

S267	7	correct\$4 near3 (bit near3 offset near3 (memory near map\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 14:21
S268	7	(bit and offset and memory) with ((operating near system) near3 call\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:07
S269	9	(bit and offset) with ((operating near system) near3 call\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:07
S271	55	(bit with offset with (memory near map\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:42
S272	338	(bit with offset) same (operating near system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:57
S273	8	(bit with offset with (memory near map\$4)) same (operating near system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:57
S274	6233	(operating near system) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:17
\$275	54	(operating near system) with (bit near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:17
S276	0	bit\$1level near3 api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:24
S277	5906	cobol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:24

S278	9	S277 and bit\$1level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:25
\$279	504	\$277 and (bit\$1level or low \$1level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:29
S280	4	S277 and ((bit\$1level or low \$1level) near call\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:29
S281	25	(((bit\$1level or low\$1level) near call\$4) with (operating near system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:30
S282	55	(bit with offset with (memory near map\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 11:19
S283	7	(bit with offset with (memory near map\$4) with "operating system")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 11:23
S284	6	(bit with offset with (memory near map\$4) with "os")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 11:23
\$285	1866	717/114-119.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:08
S286	3668	719/311-317,320.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:08
S287	9614	709/230-237.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:08

S288	1088	(\$285 or \$286 or \$287) and @pd>="20080611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:08
S289	164	S288 and socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:08
S290	121	S289 and (operating near system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:08

<sup>12/17/2008 2:27:22</sup> PM

C:\ Documents and Settings\ qchen\ My Documents\ EAST\ Workspaces\ docket\ 10696828.wsp